L Number	Hits	Search Text	DB	Time stamp
-	8828	expert and database and control	USPAT;	2003/11/13 12:41
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5987	(expert and database and control) and collect\$3	USPAT;	2003/11/11 17:14
			US-PGPUB;	
		·	EPO; JPO;	
			DERWENT;	
	4000	,	IBM_TDB	
-	4233	(expert and database and control) and configure\$5	USPAT;	2003/11/11 17:14
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	6070	, , , , , , , , , , , , , , , , , , , ,	IBM_TDB	
-	6278	(expert and database and control) and analy\$3	USPAT;	2003/11/11 17:14
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
	0000	/	IBM_TDB	2000/44/40 40 40
-	8080	(expert and database and control) and result\$1	USPAT;	2003/11/13 12:42
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	6000	(Assessed and detailment and assets I) and formula	IBM_TDB	2002/44/44 47 45
-	6090	(expert and database and control) and format	USPAT;	2003/11/11 17:15
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1435	(expert and database and control) and enterprise	IBM_TDB USPAT;	2003/11/11 17:16
	1433	(expert and database and control) and enterprise	US-PGPUB;	2003/11/11 17.16
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	8080	(expert and database and control) and result\$1	USPAT;	2003/11/11 17:16
		(Open and database and solid of and result)	US-PGPUB;	2000, 22, 22 27, 20
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4411	(expert and database and control) and report	USPAT;	2003/11/11 17:16
		· '	US-PGPUB;	
			EPO; JPO;	
	!		DERWENT;	
			IBM_TDB	
-	5156	(expert and database and control) and report\$3	USPAT;	2003/11/11 17:16
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5996	result\$1 and analy\$3 and (expert and database and control)	USPAT;	2003/11/11 17:17
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		[, , , , , , , , , , , , , , , , , , ,	IBM_TDB	
-	4583	(result\$1 and analy\$3 and (expert and database and	USPAT;	2003/11/11 17:18
		control)) and collect\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	L		IBM_TDB	l

-	3351	report\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and collect\$3)	USPAT; US-PGPUB; EPO; JPO;	2003/11/11 17:20
-	4206	(result\$1 and analy\$3 and (expert and database and	DERWENT; IBM_TDB USPAT;	2003/11/11 17:20
		control)) and format	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
-	3394	collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)	USPAT; US-PGPUB; EPO; JPO;	2003/11/11 17:21
-	2635	(collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/11 17:22
-	2029	configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/11 17:23
-	1924	(configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/13 12:48
-	780	repeat and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/11 17:25
-	1682	automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/11 17:26
-	1315	(automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and plan\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/11 17:26
-	1422	(automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and action	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/11 17:27
-	1320	(automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and (platform\$1 or node\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/11 17:27
-	1651	(automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/11 17:28
	1		IBM_TDB	

•	1286	issue\$1 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:28
-	1508	identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/11 17:28
-	1438	(identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/11 17:28
-	1438	(identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/11 17:29
-	572	layout and ((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:30
-	534	(layout and ((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1)) and action	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:30
-	1257	((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:31
-	1067	(platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:32
-	499	((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action)) and layout	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:33
-	463	plan\$4 and (((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action)) and layout)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:33
-	885	plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:34
-	419	(plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1 and analy\$3 and (expert and database and control)) and format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action))) and enterprise	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/11 17:34

-	797	(plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1	USPAT; US-PGPUB;	2003/11/11 17:35
		and analy\$3 and (expert and database and control)) and	EPO; JPO;	
		format)) and report\$3)) and (standard\$5 or variable))) and	DERWENT;	
		field)) and component\$1) and action))) and issue\$1	IBM_TDB	
-	463	(plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and	USPAT;	2003/11/11 17:35
		((automat\$3 and ((configur\$5 and ((collect\$3 and ((result\$1	US-PGPUB;	
		and analy\$3 and (expert and database and control)) and	EPO; JPO;	
		format)) and report\$3)) and (standard\$5 or variable))) and field)) and component\$1) and action))) and layout	DERWENT; IBM_TDB	
	434	layout and ((plan\$4 and ((platform\$1 or node\$1) and	USPAT;	2003/11/11 17:37
	757	(((identi\$2 and ((automat\$3 and ((configur\$5 and	US-PGPUB;	2003/11/11 17.37
		((collect\$3 and ((result\$1 and analy\$3 and (expert and	EPO; JPO;	
		database and control)) and format)) and report\$3)) and	DERWENT;	
		(standard\$5 or variable))) and field)) and component\$1)	IBM_TDB	
1		and action))) and issue\$1)	·· - ··-	
-	434	(layout and ((plan\$4 and ((platform\$1 or node\$1) and	USPAT;	2003/11/11 17:36
		(((identi\$2 and ((automat\$3 and ((configur\$5 and	US-PGPUB;	
		((collect\$3 and ((result\$1 and analy\$3 and (expert and	EPO; JPO;	
		database and control)) and format)) and report\$3)) and	DERWENT;	
		(standard\$5 or variable))) and field)) and component\$1)	IBM_TDB	
		and action))) and issue\$1)) and issue\$1		200044444
-	247	enterprise and ((layout and ((plan\$4 and ((platform\$1 or	USPAT;	2003/11/11 17:36
		node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5	US-PGPUB;	
		and ((collect\$3 and ((result\$1 and analy\$3 and (expert and	EPO; JPO;	
		database and control)) and format)) and report\$3)) and	DERWENT;	
		(standard\$5 or variable))) and field)) and component\$1) and action))) and issue\$1)) and issue\$1)	IBM_TDB	
_	434	layout\$1 and ((plan\$4 and ((platform\$1 or node\$1) and	USPAT;	2003/11/11 17:38
	157	(((identi\$2 and ((automat\$3 and ((configur\$5 and	US-PGPUB;	2003/11/11 17:00
	`	((collect\$3 and ((result\$1 and analy\$3 and (expert and	EPO; JPO;	
		database and control)) and format)) and report\$3)) and	DERWENT;	
		(standard\$5 or variable))) and field)) and component\$1)	IBM_TDB	
		and action))) and issue\$1)	_	
-	70	(enterprise and ((layout and ((plan\$4 and ((platform\$1 or	USPAT;	2003/11/11 17:38
		node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5	US-PGPUB;	
		and ((collect\$3 and ((result\$1 and analy\$3 and (expert and	EPO; JPO;	
		database and control)) and format)) and report\$3)) and	DERWENT;	
		(standard\$5 or variable))) and field)) and component\$1)	IBM_TDB	
	105	and action))) and issue\$1)) and issue\$1)) and repeat	LICDAT	2002/11/11 17:20
-	185	(enterprise and ((layout and ((plan\$4 and ((platform\$1 or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5	USPAT; US-PGPUB;	2003/11/11 17:39
		and ((collect\$3 and ((result\$1 and analy\$3 and (expert and	EPO; JPO;	
		database and control)) and format)) and report\$3)) and	DERWENT;	
		(standard\$5 or variable))) and field)) and component\$1)	IBM_TDB	
		and action))) and issue\$1)) and issue\$1)) and assembly	-5, 55	
-	70	(enterprise and ((layout and ((plan\$4 and ((platform\$1 or	USPAT;	2003/11/13 11:46
		node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5	US-PGPUB;	
		and ((collect\$3 and ((result\$1 and analy\$3 and (expert and	EPO; JPO;	
		database and control)) and format)) and report\$3)) and	DERWENT;	
		(standard\$5 or variable))) and field)) and component\$1)	IBM_TDB	
		and action))) and issue\$1)) and issue\$1)) and repeat		
-	129	706/59.ccls.	USPAT;	2003/11/12 14:17
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	440	706/60 colo	IBM_TDB	2002/44/42 44/40
•	148	706/60.ccls.	USPAT;	2003/11/12 14:18
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
L	l		ם עו דייוחד ו	

-	80	706/61.ccls.	USPAT;	2003/11/12 09:56
		•	US-PGPUB;	, ,
-			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	299	706/47.ccls.	USPAT;	2003/11/12 14:17
	233	700/17.003.	US-PGPUB;	2003/11/12 14.17
			EPO; JPO;	
			DERWENT;	
	4-	706/501	IBM_TDB	2002/44/42 44 47
-	47	706/59.ccls. and expert and database	USPAT;	2003/11/12 14:17
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	110	706/47.ccls. and expert and database	USPAT;	2003/11/12 14:18
		•	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	68	706/60.ccls. and expert and database	USPAT;	2003/11/12 14:18
1		700700.0005. Gira expert aria dadabase	US-PGPUB;	2005/11/12 11:10
			EPO; JPO;	
			DERWENT;	
	004	ownert and database and control and year	IBM_TDB	2002/11/12 12:10
-	984	expert and database and control and xml	USPAT;	2003/11/13 12:10
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	25	(enterprise and ((layout and ((plan\$4 and ((platform\$1 or	USPAT;	2003/11/13 12:40
		node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5	US-PGPUB;	
		and ((collect\$3 and ((result\$1 and analy\$3 and ((expert and	EPO; JPO;	
		database and control and xml))) and format)) and	DERWENT;	
		report\$3)) and (standard\$5 or variable))) and field)) and	IBM_TDB	
		component\$1) and action))) and issue\$1)) and issue\$1))	-	
		and repeat		
_	1117	expert and database and xml	USPAT;	2003/11/13 12:10
	/		US-PGPUB;	
1			EPO; JPO;	
1			DERWENT;	
1			IBM_TDB	
1.	25	(enterprise and ((layout and ((plan\$4 and ((platform\$1 or	USPAT;	2003/11/13 12:11
	23	(enterprise and ((layout and ((plans4 and ((platforms)) or node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5	US-PGPUB;	2003/11/13 12.11
	1	and ((collect\$3 and ((result\$1 and analy\$3 and ((expert and	EPO; JPO;	
1	1	database and xml))) and format)) and report\$3)) and	DERWENT;	
1	1	(standard\$5 or variable))) and field)) and component\$1)	IBM_TDB	
1		and action))) and issue\$1)) and issue\$1)) and repeat		
1 -	30	(computer and ((layout and ((plan\$4 and ((platform\$1 or	USPAT;	2003/11/13 12:40
		node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5	US-PGPUB;	
	1	and ((collect\$3 and ((result\$1 and analy\$3 and ((expert and	EPO; JPO;	
	1	database and control and xml))) and format)) and	DERWENT;	
1		report\$3)) and (standard\$5 or variable))) and field)) and	IBM_TDB	
1		component\$1) and action))) and issue\$1)) and issue\$1))		
		and repeat	-	
-	30	(network and ((layout and ((plan\$4 and ((platform\$1 or	USPAT;	2003/11/13 12:41
-		node\$1) and (((identi\$2 and ((automat\$3 and ((configur\$5	US-PGPUB;	
	1	and ((collect\$3 and ((result\$1 and analy\$3 and ((expert and	EPO; JPO;	
	1	database and control and xml))) and format)) and	DERWENT;	
1	1	report\$3)) and (standard\$5 or variable))) and field)) and	IBM_TDB	
1	1	component\$1) and action))) and issue\$1)) and issue\$1))	10.1_100	
		and repeat		
L	·	and repeat	<u>L </u>	

-	9738	expert and database and computer and system	USPAT; US-PGPUB;	2003/11/13 12:42
İ			EPO; JPO;	
İ				
			DERWENT;	
	0645	(a	IBM_TDB	2002/44/42 42.42
-	9645	(expert and database and computer and system) and	USPAT;	2003/11/13 12:43
		(result\$1 or report or information)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4508	(expert and database and computer and system) and	USPAT;	2003/11/13 12:44
		(result\$1 and report and information)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3827	(expert and database and computer and system) and	USPAT;	2003/11/13 12:44
		(result\$1 and report and information) and network	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	1567	((expert and database and computer and system) and	USPAT;	2003/11/13 12:45
		(result\$1 and report and information) and network) and	US-PGPUB;	
		collect\$3 and configure\$5 and analy\$3	EPO; JPO;	
		concects and configurets and analyts	DERWENT;	
ŀ			IBM_TDB	
l _	1348	((expert and database and computer and system) and	USPAT;	2003/11/13 12:47
-	1370	(result\$1 and report and information) and network) and	US-PGPUB;	2003/11/13 12.47
		collect\$3 and configure\$5 and analy\$3 and format	EPO; JPO;	
			DERWENT;	
	1204	///aa.d database and acceptation and acceptant	IBM_TDB	2002/11/12 12:47
-	1204	(((expert and database and computer and system) and	USPAT;	2003/11/13 12:47
		(result\$1 and report and information) and network) and	US-PGPUB;	
		collect\$3 and configure\$5 and analy\$3 and format) and	EPO; JPO;	
		standard	DERWENT;	
			IBM_TDB	
-	859	((((expert and database and computer and system) and	USPAT;	2003/11/13 12:47
		(result\$1 and report and information) and network) and	US-PGPUB;	
		collect\$3 and configure\$5 and analy\$3 and format) and	EPO; JPO;	
İ		standard) and variable	DERWENT;	
1			IBM_TDB	
-	842	(((((expert and database and computer and system) and	USPAT;	2003/11/13 12:48
		(result\$1 and report and information) and network) and	US-PGPUB;	
	1	collect\$3 and configure\$5 and analy\$3 and format) and	EPO; JPO;	
		standard) and variable) and control	DERWENT;	
			IBM_TDB	
-	384	((((((expert and database and computer and system) and	USPAT;	2003/11/13 12:48
		(result\$1 and report and information) and network) and	US-PGPUB;	
		collect\$3 and configure\$5 and analy\$3 and format) and	EPO; JPO;	
		standard) and variable) and control) and enterprise	DERWENT;	
			IBM_TDB	
-	783	((((((expert and database and computer and system) and	USPAT;	2003/11/13 12:49
		(result\$1 and report and information) and network) and	US-PGPUB;	
		collect\$3 and configure\$5 and analy\$3 and format) and	EPO; JPO;	
		standard) and variable) and control) and automat\$3	DERWENT;	
			IBM_TDB	
-	655	(((((((expert and database and computer and system) and	USPAT;	2003/11/13 12:58
		(result\$1 and report and information) and network) and	US-PGPUB;	2000,11,10 12.00
		collect\$3 and configure\$5 and analy\$3 and format) and	EPO; JPO;	
		standard) and variable) and control) and automat\$3) and	DERWENT;	
		plan\$4	IBM_TDB	
L	l	hauting	ם חו"ויוחד	

-	603	(((((((expert and database and computer and system) and (result\$1 and report and information) and network) and	USPAT; US-PGPUB;	2003/11/13 12:58
		collect\$3 and configure\$5 and analy\$3 and format) and standard) and variable) and control) and automat\$3) and	EPO; JPO; DERWENT;	
		plan\$4) and action	IBM_TDB	
-	285	((((((((expert and database and computer and system) and	USPAT;	2003/11/13 13:00
		(result\$1 and report and information) and network) and	US-PGPUB;	
		collect\$3 and configure\$5 and analy\$3 and format) and	EPO; JPO;	
		standard) and variable) and control) and automat\$3) and	DERWENT;	
l <u> </u>	284	plan\$4) and action) and repeat ((((((((expert and database and computer and system)	IBM_TDB USPAT;	2003/11/13 13:01
	204	and (result\$1 and report and information) and network) and	US-PGPUB;	2003/11/13 13.01
		collect\$3 and configure\$5 and analy\$3 and format) and	EPO; JPO;	
		standard) and variable) and control) and automat\$3) and	DERWENT;	
	_	plan\$4) and action) and repeat) and component	IBM_TDB	
-	0	((((((((((((((((((((((((((((((((((((((USPAT;	2003/11/13 13:01
		and (result\$1 and report and information) and network) and collect\$3 and configure\$5 and analy\$3 and format) and	US-PGPUB;	
		standard) and variable) and control) and automat\$3) and	EPO; JPO; DERWENT;	
	y.	plan\$4) and action) and repeat) and component) and	IBM_TDB	
		layouyt		
-	162	((((((((((((((((((((((((((((((((((((((USPAT;	2003/11/13 13:04
		and (result\$1 and report and information) and network) and	US-PGPUB;	
		collect\$3 and configure\$5 and analy\$3 and format) and	EPO; JPO;	
		standard) and variable) and control) and automat\$3) and plan\$4) and action) and repeat) and component) and layout	DERWENT; IBM_TDB	
-	27	((((((((((((((((((((((((((((((((((((((USPAT;	2003/11/13 13:04
		and (result\$1 and report and information) and network) and	US-PGPUB;	2003/11/13 13.01
		collect\$3 and configure\$5 and analy\$3 and format) and	EPO; JPO;	
		standard) and variable) and control) and automat\$3) and	DERWENT;	
		plan\$4) and action) and repeat) and component) and	IBM_TDB	
	0	layout) and xml	OCKCERNTES 73 I	0300000 6000 4000
-	"	(5615304,6430545,5295230,5842193,6574621,4829426,6535	US-PGPUB;	ovrance and porter restability
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	20	(5615304, 6430545, 5295230, 5842193, 6574621, 4829426,	USPAT;	2003/11/13 14:54
		6535866, 5715373, 5812668, "6502102").pn.	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	((5615304, 6430545, 5295230, 5842193, 6574621,	USPAT;	2003/11/13 14:54
		4829426, 6535866, 5715373, 5812668, "6502102").pn.) and	US-PGPUB;	
		xml	EPO; JPO;	· ·
			DERWENT;	
_	3	((5615304, 6430545, 5295230, 5842193, 6574621,	IBM_TDB USPAT;	2003/11/13 14:54
		4829426, 6535866, 5715373, 5812668, "6502102").pn.) and	US-PGPUB;	2003/11/13 17.37
		audit	EPO; JPO;	
			DERWENT;	
	_	//=	IBM_TDB	
-	3	((5615304, 6430545, 5295230, 5842193, 6574621,	USPAT;	2003/11/13 15:03
		4829426, 6535866, 5715373, 5812668, "6502102").pn.) and audit\$3	US-PGPUB; EPO; JPO;	
		audicp3	DERWENT;	
			IBM_TDB	
-	6	((5615304, 6430545, 5295230, 5842193, 6574621,	USPAT;	2003/11/13 15:11
		4829426, 6535866, 5715373, 5812668, "6502102").pn.) and	US-PGPUB;	
		collect\$32	EPO; JPO;	
			DERWENT;	
L	<u> </u>		IBM_TDB	

•	7	((5615304, 6430545, 5295230, 5842193, 6574621, 4829426, 6535866, 5715373, 5812668, "6502102").pn.) and configur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/13 15:11
-	8	((5615304, 6430545, 5295230, 5842193, 6574621, 4829426, 6535866, 5715373, 5812668, "6502102").pn.) and expert and database	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/13 15:25
-	8	(((5615304, 6430545, 5295230, 5842193, 6574621, 4829426, 6535866, 5715373, 5812668, "6502102").pn.) and expert and database) and (computer or network or enterprise)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/13 15:25
-	7	((((5615304, 6430545, 5295230, 5842193, 6574621, 4829426, 6535866, 5715373, 5812668, "6502102").pn.) and expert and database) and (computer or network or	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/13 15:26
-	4	enterprise)) and configur\$5 (((((5615304, 6430545, 5295230, 5842193, 6574621, 4829426, 6535866, 5715373, 5812668, "6502102").pn.) and expert and database) and (computer or network or extermise)) and expert and database) and all of the computer or network or extermise).	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/13 15:27
-	7	enterprise)) and configur\$5) and collect\$3 (((((5615304, 6430545, 5295230, 5842193, 6574621, 4829426, 6535866, 5715373, 5812668, "6502102").pn.) and expert and database) and (computer or network or enterprise)) and configur\$5) and analy\$3	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/13 15:28
	7	((((((5615304, 6430545, 5295230, 5842193, 6574621, 4829426, 6535866, 5715373, 5812668, "6502102").pn.) and expert and database) and (computer or network or enterprise)) and configur\$5) and analy\$3) and result	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/13 15:28
-	6	((((((((5615304, 6430545, 5295230, 5842193, 6574621, 4829426, 6535866, 5715373, 5812668, "6502102").pn.) and expert and database) and (computer or network or enterprise)) and configur\$5) and analy\$3) and result) and	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/13 15:28
-	6	report ((((((((5615304, 6430545, 5295230, 5842193, 6574621, 4829426, 6535866, 5715373, 5812668, "6502102").pn.) and expert and database) and (computer or network or enterprise)) and configur\$5) and analy\$3) and result) and	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/13 15:29
-	1	report) and format	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/13 15:30
-	4	((((((((((((((((((((((((((((((((((((((IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/13 15:30
-	3	enterprise)) and configur\$5) and analy\$3) and result) and report) and format) and standard (((((((((5615304, 6430545, 5295230, 5842193, 6574621, 4829426, 6535866, 5715373, 5812668, "6502102").pn.) and expert and database) and (computer or network or	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/13 15:35
		enterprise)) and configur\$5) and analy\$3) and result) and report) and format) and standard) and variable	DERWENT; IBM_TDB	

-	3	((((((((((((((((((((((((((((((((((((((USPAT; US-PGPUB;	2003/11/13 15:35
		expert and database) and (computer or network or	EPO; JPO;	
]	enterprise)) and configur\$5) and analy\$3) and result) and	DERWENT;	
		report) and format) and standard) and variable) and automat\$3	IBM_TDB	
-	2	(((((((((((((((((((((((((((((((((((((((USPAT;	2003/11/13 15:35
ĺ		4829426, 6535866, 5715373, 5812668, "6502102").pn.) and	US-PGPUB;	
		expert and database) and (computer or network or	EPO; JPO;	
		enterprise)) and configur\$5) and analy\$3) and result) and	DERWENT;	
		report) and format) and standard) and variable) and	IBM_TDB	
		automat\$3) and plan\$4		
-	3	((((((((((((5615304, 6430545, 5295230, 5842193, 6574621,	USPAT;	2003/11/13 15:36
		4829426, 6535866, 5715373, 5812668, "6502102").pn.) and	US-PGPUB;	
		expert and database) and (computer or network or	EPO; JPO;	
		enterprise)) and configur\$5) and analy\$3) and result) and	DERWENT;	
		report) and format) and standard) and variable) and	IBM_TDB	
		automat\$3) and act\$3		
-	3	(((((((((((((((((((((((((((((((((((((((USPAT;	2003/11/13 15:37
		6574621, 4829426, 6535866, 5715373, 5812668,	US-PGPUB;	
1		"6502102").pn.) and expert and database) and (computer or	EPO; JPO;	
		network or enterprise)) and configur\$5) and analy\$3) and	DERWENT;	
		result) and report) and format) and standard) and variable)	IBM_TDB	
		and automat\$3) and act\$3) and prepar\$5		
-	2	(((((((((((((5615304, 6430545, 5295230, 5842193,	USPAT;	2003/11/13 15:38
1	1	6574621, 4829426, 6535866, 5715373, 5812668,	US-PGPUB;	
		"6502102").pn.) and expert and database) and (computer or	EPO; JPO;	
		network or enterprise)) and configur\$5) and analy\$3) and	DERWENT;	
		result) and report) and format) and standard) and variable)	IBM_TDB	
		and automat\$3) and act\$3) and prepar\$5) and gather		2002/44/42 45 20
-	3	(((((((((((((((((((((((((((((((((((((((USPAT;	2003/11/13 15:38
		6574621, 4829426, 6535866, 5715373, 5812668,	US-PGPUB;	
		"6502102").pn.) and expert and database) and (computer or	EPO; JPO; DERWENT;	
		network or enterprise)) and configur\$5) and analy\$3) and		
		result) and report) and format) and standard) and variable)	IBM_TDB	
	3	and automat\$3) and act\$3) and prepar\$5) and organiz\$5	USPAT;	2003/11/13 15:38
-	3	((((((((((((((((((((((((((((((((((((((US-PGPUB;	2003/11/13 13.30
		"6502102").pn.) and expert and database) and (computer or	EPO; JPO;	
		network or enterprise)) and configur\$5) and analy\$3) and	DERWENT;	
		result) and report) and format) and standard) and variable)	IBM_TDB	
		and automat\$3) and act\$3) and prepar\$5) and organiz\$5)	1011_100	
	!	and control	-	
_	3	(((((((((((((((((((((((((((((((((((((((USPAT;	2003/11/13 15:40
		6574621, 4829426, 6535866, 5715373, 5812668,	US-PGPUB;	
		"6502102").pn.) and expert and database) and (computer or	EPO; JPO;	
		network or enterprise)) and configur\$5) and analy\$3) and	DERWENT;	
		result) and report) and format) and standard) and variable)	IBM_TDB	
		and automat\$3) and act\$3) and prepar\$5) and organiz\$5)		
		and control) and issue\$1	1	
-	3	(((((((((((((((((((((((((((((((((((((((USPAT;	2003/11/13 15:41
		6574621, 4829426, 6535866, 5715373, 5812668,	US-PGPUB;	
		"6502102").pn.) and expert and database) and (computer or	EPO; JPO;	
		network or enterprise)) and configur\$5) and analy\$3) and	DERWENT;	
		result) and report) and format) and standard) and variable)	IBM_TDB	
	1	and automat\$3) and act\$3) and prepar\$5) and organiz\$5)		
	<u>L</u>	and control) and issue\$1) and identi\$2	1	<u></u>

Computer or network or enterprise or network or enterprise) and configur\$5) and analy\$3) and act\$3) and prepar\$5) and computer or network or enterprise) and configur\$5) and analy\$3) and act\$3) and prepar\$5) and component\$1 (Computer or network or enterprise) and configur\$5) and component\$1 (Computer or network or enterprise)) and configur\$5) and component\$1 (Computer or network or enterprise)) and configur\$5) and component\$1 (Computer or network or enterprise)) and configur\$5) and analy\$3) and result) and identi\$2) and dromponent\$1 (Computer or network or enterprise)) and configur\$5) and analy\$3) and result) and identi\$2) and component\$1 (Computer or network or enterprise)) and configur\$5) and analy\$3) and result) and layout\$1 (Computer or network or enterprise)) and configur\$5) and analy\$3) and result) and report) and format) and standard) and variable) and alyout\$1 (Computer or network or enterprise)) and configur\$5) and analy\$3) and result) and report) and format) and standard) and variable) and automat\$3) and act\$3) and prepar\$5) and component\$1) and layout\$1) and lenti\$2) and component\$1) and layout\$1) and field - 2 ((((((((((((((((((((((((((((((((((15:41
"6502102").pn.) and expert and database) and (computer or network or enterprise)) and configur\$5) and analy\$3) and result) and report) and format) and standard) and variable) and automat\$3) and act\$3) and prepar\$5) and organiz\$5) and control) and issue\$1) and identi\$2) and component\$1 ((((((((((((((((((((((((((((((((((((
network or enterprise)) and configur\$5) and analy\$3) and result) and report) and format) and standard) and variable) and automat\$3) and act\$3) and prepar\$5) and component\$1 (((((((((((((((((((((((((((((((((((
result) and report) and format) and standard) and variable) and automat\$3) and act\$3) and prepar\$5) and organiz\$5) and control) and issue\$1) and identi\$2) and component\$1 (((((((((((((((((((((((((((((((((((
and automat\$3) and act\$3) and prepar\$5) and organiz\$5) and control) and issue\$1) and identi\$2) and component\$1 (((((((((((((((((((((((((((((((((((
and control) and issue\$1) and identi\$2) and component\$1 ((((((((((((((((((((((((((((((((((((
3 (((((((((((((((((((((((((((((((((
6574621, 4829426, 6535866, 5715373, 5812668, "6502102").pn.) and expert and database) and (computer or network or enterprise)) and configur\$5) and analy\$3) and result) and report) and format) and standard) and variable) and automat\$3) and act\$3) and prepar\$5) and component\$1) and layout\$1 - 3 ((((((((((((((((((((((((((((((((((
"6502102").pn.) and expert and database) and (computer or network or enterprise)) and configur\$5) and analy\$3) and result) and report) and format) and standard) and variable) and automat\$3) and act\$3) and prepar\$5) and component\$1) and layout\$1 3 (((((((((((((((((((((((((((((((((((15:42
network or enterprise)) and configur\$5) and analy\$3) and result) and report) and format) and standard) and variable) and automat\$3) and act\$3) and prepar\$5) and organiz\$5) and control) and issue\$1) and identi\$2) and component\$1) and layout\$1 - 3 ((((((((((((((((((((((((((((((((((
result) and report) and format) and standard) and variable) and automat\$3) and act\$3) and prepar\$5) and organiz\$5) and control) and issue\$1) and identi\$2) and component\$1) and layout\$1 - 3 ((((((((((((((((((((((((((((((((((
and automat\$3) and act\$3) and prepar\$5) and organiz\$5) and control) and issue\$1) and identi\$2) and component\$1) and layout\$1 - 3 ((((((((((((((((((((((((((((((((((
and control) and issue\$1) and identi\$2) and component\$1) and layout\$1 (((((((((((((((((((((((((((((((((((
and layout\$1 ((((((((((((((((((((((((((((((((((((
- 3 (((((((((((((((((((((((((((((((((((
6574621, 4829426, 6535866, 5715373, 5812668, "6502102").pn.) and expert and database) and (computer or network or enterprise)) and configur\$5) and analy\$3) and result) and report) and format) and standard) and variable) and automat\$3) and act\$3) and prepar\$5) and organiz\$5) and control) and issue\$1) and identi\$2) and component\$1) and layout\$1) and field - 2 ((((((((((((((((((((((((((((((((((
6574621, 4829426, 6535866, 5715373, 5812668, "6502102").pn.) and expert and database) and (computer or network or enterprise)) and configur\$5) and analy\$3) and result) and report) and format) and standard) and variable) and automat\$3) and act\$3) and prepar\$5) and organiz\$5) and control) and issue\$1) and identi\$2) and component\$1) and layout\$1) and field - 2 ((((((((((((((((((((((((((((((((((15:42
"6502102").pn.) and expert and database) and (computer or network or enterprise)) and configur\$5) and analy\$3) and result) and report) and format) and standard) and variable) and automat\$3) and act\$3) and prepar\$5) and organiz\$5) and control) and issue\$1) and identi\$2) and component\$1) and layout\$1) and field - 2 ((((((((((((((((((((((((((((((((((
network or enterprise)) and configur\$5) and analy\$3) and result) and report) and format) and standard) and variable) and automat\$3) and act\$3) and prepar\$5) and organiz\$5) and control) and issue\$1) and identi\$2) and component\$1) and layout\$1) and field (((((((((((((((((((((((((((((((((((
result) and report) and format) and standard) and variable) and automat\$3) and act\$3) and prepar\$5) and organiz\$5) and control) and issue\$1) and identi\$2) and component\$1) and layout\$1) and field (((((((((((((((((((((((((((((((((((
and automat\$3) and act\$3) and prepar\$5) and organiz\$5) and control) and issue\$1) and identi\$2) and component\$1) and layout\$1) and field - 2 ((((((((((((((((((((((((((((((((((
and control) and issue\$1) and identi\$2) and component\$1) and layout\$1) and field (((((((((((((((((((((((((((((((((((
and layout\$1) and field (((((((((((((((((((((((((((((((((((
- 2 (((((((((((((((((((((((((((((((((((
6574621, 4829426, 6535866, 5715373, 5812668, "6502102").pn.) and expert and database) and (computer or network or enterprise)) and configur\$5) and analy\$3) and result) and report) and format) and standard) and variable) and automat\$3) and act\$3) and prepar\$5) and organiz\$5) and control) and issue\$1) and identi\$2) and component\$1) and layout\$1) and field) and node	15:42
"6502102").pn.) and expert and database) and (computer or network or enterprise)) and configur\$5) and analy\$3) and result) and report) and format) and standard) and variable) and automat\$3) and act\$3) and prepar\$5) and organiz\$5) and control) and issue\$1) and identi\$2) and component\$1) and layout\$1) and field) and node	
network or enterprise)) and configur\$5) and analy\$3) and result) and report) and format) and standard) and variable) and automat\$3) and act\$3) and prepar\$5) and organiz\$5) and control) and issue\$1) and identi\$2) and component\$1) and layout\$1) and field) and node	
result) and report) and format) and standard) and variable) and automat\$3) and act\$3) and prepar\$5) and organiz\$5) and control) and issue\$1) and identi\$2) and component\$1) and layout\$1) and field) and node	
and automat\$3) and act\$3) and prepar\$5) and organiz\$5) and control) and issue\$1) and identi\$2) and component\$1) and layout\$1) and field) and node	
and control) and issue\$1) and identi\$2) and component\$1) and layout\$1) and field) and node	
and layout\$1) and field) and node	
	15:43
6574621, 4829426, 6535866, 5715373, 5812668, US-PGPUB;	
"6502102").pn.) and expert and database) and (computer or EPO; JPO;	
network or enterprise)) and configur\$5) and analy\$3) and DERWENT;	
result) and report) and format) and standard) and variable) IBM_TDB	
and automat\$3) and act\$3) and prepar\$5) and organiz\$5)	
and control) and issue\$1) and identi\$2) and component\$1)	
and layout\$1) and field) and node\$1	
- 1 (((((((((((((((((((((((((((((((((((15:43
6574621, 4829426, 6535866, 5715373, 5812668, US-PGPUB;	
"6502102").pn.) and expert and database) and (computer or EPO; JPO;	
network or enterprise)) and configur\$5) and analy\$3) and DERWENT;	
result) and report) and format) and standard) and variable) IBM_TDB	
and automat\$3) and act\$3) and prepar\$5) and organiz\$5)	
and control) and issue\$1) and identi\$2) and component\$1)	
and layout\$1) and field) and node\$1) and platform\$1	
- 2 (((((((((((((((((((((((((((((((((((15:43
6574621, 4829426, 6535866, 5715373, 5812668, US-PGPUB;	
"6502102").pn.) and expert and database) and (computer or EPO; JPO;	
network or enterprise)) and configur\$5) and analy\$3) and DERWENT;	
result) and report) and format) and standard) and variable) IBM_TDB	
and automat\$3) and act\$3) and prepar\$5) and organiz\$5)	
and control) and issue\$1) and identi\$2) and component\$1)	
and layout\$1) and field) and node\$1) and repeat	